GM 1916

555 g 16

SL No. 5-7-16-33

P-58

"Hill Stations

G.R.S. (N.)

Personal Applications.

550-16

Sc. 15, 17, 18 + 20.

1926-17.

550-16. Sc. 3.8, 29, 27

File No 550 of 16

Serial Nos 5, 7, 16, 19. 24, 26, 28, 29, 31, 33,

GENERAL AND REVENUE SECRETARIAT.

Part B for November 1920.

Subject.

Hill Stations.

Letter No. 646, from the Secretary Engineering Department, Poona, stating that all the works connected with the Simla Hill water supply were completed and the Hill was being handed over to the Municipality.

U. L. 1/4

G. R. S. 11] 1916.

GENERAL AND REVENUE SECRETARIAT.

(Gen: Brs)

NOTES.

File No. 5

FILE HEADING.

FROM

No. 1029 Dated 21.8.17 Received 4.8.17

Diary No. 1085	Enclos. 1 Spare Copies. -	Serial No.

BRIEF ABSTRACT OF LETTER.

NOTES AND ORDERS.

Subd. The cost of the improvements proposed should be met from the P.W. Budget; no mention of this is made in the letter of the Chief Engineer.

Estimates amounting to Rs 46,150 for the formation of an elliptical road at the foot of the

NOTES First Sheet.

WD 1238—GPB—60,000—1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat. | File No. | of 191

Serial No.

Chamundi Hill as also for the artistic beauty of the Hill have since been received & Subd.

K.N. 29/5

3 A. Aiyangar 31/5/17

4 Draft Subd. K.N. 29/5

5 Issue 31/5/17

6/6/17

3

No. D 142.

GPB—1,000—19-12-14

413
28.3.17

MYSORE P. W. DEPARTMENT.

TO THE DEWAN OF MYSORE

FOR INFORMATION.

—o—

Subject:- Inclined Rope tramway to the Chamundi hill.

- - - -

With reference to the above, I beg to state that the Chief Electrical Engineer, to whom the plans and sections of the line selected for the inclined tramway were forwarded, for the preparation of a complete project reported in January last that it was not possible for him to frame even an approximate estimate for the necessary hoisting apparatus and other equipments in the absence of quotations, because of the market being very unsteady. He expected to receive fairly accurate quotations in two months' time.

2. In answer to a recent reminder from this office, the Chief Electrical Engineer reported on the 13th March 1917 that quotations had not

yet been received and that a month more would elapse before he could get up a detailed estimate for the work.

3. He is being urged to expedite the estimate.

Secretary to Government,
Public Works Department.

Bangalore,
Dated 27th March 1917.

4968/Enc. file 5 Mysore 14th June 17

9

My dear Sir,

I send herewith Note No. D. 142 dated the 27th March 1917 explaining the difficulties in ~~passing~~ framing estimates for the Inclined Rope Tramway to the Chamundi Hill.

But for the disturbed conditions in Europe and America, the scheme would have ~~made more headway~~ been completed by this time.

The unavoidable delay may be kindly brought to the notice of His Highness.

Yours sincerely,

13 6 17

Dewan.

Mirza M. Ismail, Esqr., P.A.

WD 1283—GPB—60,000—1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat. | G.m File No. 557 of 191 .

D. O. No. M 4540

Dated 31
Encl one file

The Palace,
Mysore.
18th June 1917.

My dear Sir,

I am directed to return herewith, with thanks, the note of the Public Works Secretary regarding the Inclined Rope Tramway to the Chamundi Hill at Mysore forwarded with your D.O.letter No.4968 dated the 14th Instant. His Highness will be obliged if you will kindly let him know when the water scheme for the Hill is likely to be taken up.

Put up herewith

Yours sincerely
Maza M. Ismail

Secretary PWD
with thanks send me a note
within a week I also discuss
details with a view
to early handing
over

19.6.17

Sir M. Visvesvaraya, K.C.I.E.,
Dewan of Mysore,
Bangalore.

Mark Lewis here to see me today or tomorrow about the water supply question.
19/6

NOTE—Contn. sheet

No. D 317

MYSORE P. W. DEPARTMENT.

1310
25.6.17

TO THE DEWAN OF MYSORE

FOR INFORMATION.

———o———

With reference to your remarks dated 19th June 1917 on the Huzur Secretary's D.O. letter No.331 dated the 18th idem, enquiring when the water scheme for the Chamundi Hill is likely to be taken up, I beg to state that an estimate amounting to Rs.42,502/- for pumping water to the Hill has been forwarded to the Revenue Secretary for sanction.

3. A statement showing the severable improvements needed to the Chamundi Hill is put up for information.

Secretary to Government,

Public Works Department.

Bangalore,)
)
23rd June 1917.)

Accompaniment.
1 statement.
1 D.O. No. 4540 dt. 18-6-17
1 No. 4968 dt. 14-6-17
1 No. D 1442 dt. 22-3-17

GPB—1000—3-10-07

Statement.

Subject:- Improvements to the Charumdi Hill.

Reference:- General Secretary's Un-official No.73/P.W.O. dated 9th May 1917 requesting to report the action taken on the several subjects referred to in Government Proceedings No.G.6737-857 W.W.201-14-1 dated the 29th December 1916.

The subjects referred to and the action taken thereon are noted below:-

Subjects.	Action taken
1. To prepare a survey plan of the hill drawn to a scale of 66 ft to an inch showing correctly the village, buildings, roads, &c. -do- a descriptive statement giving the particulars of the present condition of the hill.	Items 1 & 2. A survey plan together with a statement was forwarded to the Revenue Secretary - vide No. 5422 dated the 21st May 1917.
2. To prepare an estimate for forming groves on the top of the hill and carrying earth from below.	Item 3 - Estimate for Rs 22,630 has been already forwarded to the Revenue Secretary - vide No.6497 21st June 1917.
3. Improving the artistic effect of the hill top. 4. Acquisition of insanitary houses on the hill top. 5. Opening out an elliptical road at the foot of the hill Step-road.	Items 4, 5 & 6. Estimates aggregating Rs 46,150 received from the President, have been forwarded to the Revenue Secretary with No. 4456 dated the 2nd May 1917.
7. Pumping water to the hill top by electric power.	Item 7 - Project for Rs 42,502 sent up to the Revenue Secretary with No.5422 dated the 21st May 1917.
8. Improvement of the road up the hill.	Item 8 - Work is nearing completion.
9. Construction of a Travellers' Bungalow.	Item 9 - Plans and estimates pending with the Huzur Secretary.
10. Construction of a Musafirkhana	Item 10. Work is in progress.

Subjects.	Action taken.
11. Construction of a shed or mantap for pilgrims.	Item 11 - Reported to be unnecessary for the present. To lie over.
12. Improving the sanitation and drainage.	Item 12 - The Executive Engineer, Sanitary Division, has been reminded.
13. Laying out grounds, &c.,	Item 13 - Referred to the Government Botanist for action.
14. Improving the view of the rear stone hall.	Item 14 - Estimate for Rs 8,340 for the work forwarded to the Revenue Secretary for sanction on 21st May 1917.
15. Installing electric lights in the temple and the - - bungalow.	Item 15 - Work completed by the Palace Department.
16. Framing rules for regulating residence and house building on the hill.	Item 16 - No action taken as it was subsequently decided that no private bungalows should be built.
17. Electric tramway up the hill.	Item 17 - The Chief Electrical Engineer reports that the estimate will be completed soon after - - quotations are received. They have been repeatedly called for.
18. Improvements to the two tanks (Devikere and Hirikere) and feeders.	Item 18 - An estimate amounting to Rs 1100 has been sanctioned by the Superintending Engineer, Southern Circle.
19. A small mansion for His Highness the Maharaja.	Item 19 - Ground plan since received from Mr.Fritchley and regular plans are being prepared.

Karbhari Srinivasaraya
29/6.

G.R.S. III—3]

Routine Notes.

[To be used only for notes, requisitions, etc., not intended for permanent record.]

DMR 11

L. F. Mis 84-17

The Chief Engrs letter no. 5422 of 21st May 1917 was received in B.D. & dealt with there.

This is a subject connected with Hill Stations and as such may be transferred to Br V.

7/7/17.

GEN. & CON. SECRETARIAT. V K/ GENERAL 9 JUL 1917

17 Branch V

Br.

9/7.

N.B. Should routine notes be written on small slips, the notes must be copied, or slips pasted on this form.

W.D. 81—GPB.—60,000.—30-7-16

160

WD 1283—GTD—60,000—1-12-16 S.

G. R. S. III-2j

General and Revenue Secretariat.

File No. 850 of 191 6.

Serial No.

Subd. Branches IV & V will have to be consulted.

K.N. 11/7

Branches IV & II

For Very early disposal

11/12/7/17

Subd

The District Boards of Mysore is not in a condition to undertake such works of a special nature connected with Hill Stations. In another file of the P.W.D. regarding the improvements to the Chamundi Hill Road it was held that the Dt. Board cannot finance work and the Dewan Saheb ordered that the work should be undertaken from State Funds. That file was returned to P.W. Secy today.

As regards the second proposal that in case the Dt. Bd is unable to meet the entire charge, it should be borne in equal proportions by the Dt. Bd and Municpl funds, it is subd that as the hill is not included within the Municipality

NOTE—Contn. sheet.

160

12

AD 1253- GPE- 66,000—1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat.

File No. of 191

Serial No.

, there is no reason to expect the Municipality to contribute towards the water-supply of the hill. Further as the Mysore city Municipality was not in a position to undertake its own water-supply project, the whole cost was borne by Govt and the water works were transferred to the Municipality as a free gift.

Under these circumstances the cost of the works under discussion cannot be met either by the Dt. Board or the Mysore city Municipality either entirely or in part.

Is it not necessary to consult the Resident & Bd. in this connection as also the Ad Resident?

BBM 13/7/17

MK 14.7

Subd.

The opinion given above is based on materials available in the Branch. But there is no objection to Branch V consulting the Dt. Board or the Municipality

BBM 16/7/17 Branch V

MK 16/7

Subd. The file may be sent to Br II also for favour of remarks.

KN. 17/7

The Dewan's order

Subd. as noted at A. in page 11 of the file under

18/7/17

UJ 18/7/17

mentioning the Asst. for info. In the meantime

NOTE—Contn. sheet.

WD 1233—GPB—60,000—1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat.

File No. of 191 .

Serial No.

The President of Bl. W. Mysore & the Ag. Ch. Engr may be consulted as regards the proposal of the Chief Engineer that the entire cost will have to be borne by the Bl. Funds or in the alternative by the Bl. & Irl. funds in equal proportions.

for T).

19.7.17

Required by Br II

Please file

20/7/17

Do.

Br IV for kindly putting it up if available or noting the no. & date.

K.N. 21/7

It is a P.W. file which had been sent to Br IV for opinion on certain points. Please obtain from the P.W. Secy file containing Note No. D 266 & 305-1917.

To Branch E

Sd/x

Sd. In another connection (Estimates for forming grooves on the Chamundi Hill), the Chief Engineer has stated that the cost may be debited to the Trust Board.

K.N. 26/7

for II

26/7/17

The case maybe kindly referred to

NOTE.—Contn. sheet.

14

MD 1250 GLB. Gr. Coy. 1-12-16—8.

G. R. S. III-2]

General and Revenue Secretariat.

~~File~~ No. 198 of 1917.

Serial No.

for II for opinion if the same is necessary when it is decided which fund the item the cost of the proposals.

for V)

GEN. & REV. S. GENERAL 31 JUL. 1917

Subd. If as decided the cost of the improvements to the Chamundi Hill Road is to be debited to State Funds, the cost of the water scheme also has to be debited to the same head. The Chief Engineer may be again consulted.

KN. 1/8

Forwarded with compliments to the Chief Engineer for favour of opinion. It is requested that the file may kindly be returned as early as practicable.

By order,

Secy to Govt, Gen. Deptt

Please see Mr Cauly to know the D.O. letter in this case.

Draft Subd. KN. 6/8

Issue

NOTE—Contn. sheet.

W.P. 1238—G.P.S. 6/3/0—1-12-16—S.

G. R. S. III-2.

General and Revenue Secretariat.

File No. of 191 .

Serial No.

Subd. Reference is invited to the Dewan's orders K.N. 1119. on page 7.

I/c

For very early opinion whether the addl grant required can be made

Br II)

Sd/ 13/9/17

Subd

The amount of additional grant required is Rs 86,862.

∴ The Budget Surplus is only Rs 15,000 and the estimated balance of the the P.W.D is Rs 5000.

Nov 1917

15/9/17

P.T.C

NOTE—Contn. sheet.

No. 12-3—G.D. Form 1-12-16—8.

G. R. S. III-2]

General and Revenue Secretariat.

File No. of 191 .

Serial No.

Please see page 66 of Kulungelele's diary. According to the Scheme of financial settlement there is no scope for sanctioning additional grants, unless there is a sufficient balance under the grants. The admitted balance under Public works is only 5000. The P.W. Dept may then be asked to suggest re-appropriation of funds.

[illegible]

18/10/17.

Subd. of the four items of improvement, the U.N. 1119- more urgent ones viz Water supply & drainage (104) may perhaps be taken up in the circumstances. The Chief Engineer may be requested to push through the works, funds being provided later on by re-appropriation or [illegible]

U.N. [illegible]

[illegible]

U/20/9/17.

The amounts required for the several works should be provided in the P.W.D budget. The works may be undertaken this year if reappn. is possible or the works may be sanctioned & provision may be made in the next year's budget. It may not be difficult to find 40,000 to 50 thousand rupees by reappn. to start these works this year.

[illegible]

U/ 3/10/17

3/10/17

Item no. 1 – Water supply, [illegible] that [illegible]

NOTE—Contn. sheet 1967 U/ 1/10/17

WD 1238—GPB—60,000—1-12-16—S.

17

G. R. S. III-2]

General and Revenue Secretariat.

G. M. File No. 550 of 1916.

Serial No.

4

The estimates for the water supply scheme and for improving the area round the Stone bull may for the present be sanctioned from the Public Works Budget under 'Miscellaneous Public Improvements'. The Joint Secretary, Public Works Department, may be requested to suggest proposals for meeting the working expenses of the water supply scheme in consultation with the Deputy Commissioner and the Huzur Secretary.

5 Please circulate and return with a Draft Submission Note.

21.11.17 AG

6 circulate

24/11/17

NOTE—Contn. sheet.

(For Disposal by Circulation)

No. C. 2[illegible]

.....6.....191..7

GENERAL AND REVENUE SECRETARIAT.

COUNCIL MATTER.

SUBJECT.

Estimates for the water supply scheme and for improving the area round the stone bull on the Chamundi Hills.

CIRCULATED TO THE MEMBERS OF COUNCIL.

By Order,

C S Balasubramanya

24th November .....191 7.

Chief *Secretary to Government.*

Extraordinary Member of Council.

First Member of Council.

Second Member of Council.

WD 2670 GPB 1,000 11-5-17

WD 1288 - GPB 60,000 1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat.

G.M File No. 530 of 1916.

Serial No. 1

Subd. with a Draft D.S.N. (Reference para 46 Secretary)
K.N.
5/1

Chatfield

3287
24/12/16

Denison

W.J. 28/12/16

W.M.
29/12/16

W.C. 30/12/16

NOTE—Contn. sheet.

Submitted to His Highness.

In Government Order No.2051-7/P.W.10008-14 dated 23rd September 1916, a programme was prepared with a view to make the Chamundi Hill more attractive than usual both as a Hill Station and as a pleasure resort. For some of the items of improvement set forth therein the Chief Engineer has submitted for sanction and allotment of funds therefor estimates as shown below :-

1.	Water supply to the Chamundi Hill	Rs.42,502.
2.	Improving the view of the stone - image of the bull	" 8,340.
3.	Forming groves on the top of the Hill.	" 22,620.
4.	Drainage of the Chamundi Hill.	" 13,400.
	Total Rs. -	86,862/-.

He states that the cost cannot be borne from the Public Works Budget unless the amount required is sanctioned as an additional grant to the Public Works Budget.

2. As it is too early in the year to sanction any additional grant to the budget, the Dewan has recorded the opinion that the estimates for the water supply scheme and for improving the area round the - stone bull aggregating Rs.50,842 may for the present be sanctioned from the Public Works Budget under "Miscellaneous Public Improvements". The Joint Secretary, Public Works Department, may be requested to suggest proposals for meeting the working expenses of the water supply scheme in consultation with the Deputy Commissioner, Mysore District, and the Huzur Secretary to His Highness.

3. The Members of the Council agree in this view.

4. The two estimates referred to in paragraph 2 may be graciously sanctioned.

9.1.18.

C. 45

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject.



Estimates for Rs.50,842 for the water supply to the Chamundi Hill and for improving the area round the stone bull.

Order.

10/1/16

Chief Secy

WD 1233—GPB 60,000—1-12-16—S.

G. R. S. III-2]

General and Revenue Secretariat.

G.M File No. 530 of 1916.

Serial No.

Subd. with a draft.
N.V.
15/1 VS Issued 16/1/18

b/f
Subd: with a draft reminder -
dl
10/6/18. VS Issued 11/6/18

NOTE—Contn. sheet.

G. R. S. III-2]

General and Revenue Secretariat.

G.M File No. 550 of 1916.

Serial No.

28 To the Chief Engineer for Irrigation
No. 6817 Dy. the 10th June 1918.

Reports that there is no chance of getting any machinery from America or England required for the water supply to Chamundi Hills and that the Hygn. Secretary is agreeable to postpone the work at present and requests that orders of Govt. to postpone the work may be obtained.

61
Subd. Ref: para 54 of the Admn.

62 The Chief Engineer does not say anything about the other item of the work sanctioned viz— "Improving the area round the Stone bull"

63 Assistant
13/6/18. VS
Chatterji
Uf 15/6/18

64
It is ascertained from the P.W.D. that the work of "improving the view of the Stone image of the Bull" has not been yet undertaken for want of funds. (vide quarterly progress report 31st March. Subd. to be dealt separately)
Subd
VS
15/6/18.
Chatterji)
Uf 15/6/18

65— The water supply may be postponed

NOTE—Continued on sheet.

WD A 1709—GPB—60,000—30-6-18—G.

G.R. S. III-2]

General and Revenue Secretariat.

GM File No. 550 of 1916

Serial No.

as suggested. The Ch Engr may be asked to take up the work of improving the Surroundings of the Bulls early in 1918-19.

4816/17

112 6.7.18

1st Member Dewan

CSY 4/7/18

Papers

Rey 4/7/18

217

Secy

Rey 13/7/18

Secy 11.7.18

Do

Draftsman

CSY 12/7

Rey 12/7/18

Draft Sanctioned

17/7/18

Chapter

Rey 15/7/18

To Issue

CSY 29/7/18

Rey 29/7/18

29 To

The Chief Engineer in Mysore,

G. 2532 5/d/8/18.

Calls for an early report re the improvements of the Surroundings of the Stone images on the Chamundi Hill

NOTE—Contn. sheet.

WD A 1788—GPB—60,000—20-2-18—SL

G. R. S. III-2]

General and Revenue Secretariat.

File No. 550 of 1916.

Serial No.	
31	From the Chief Engineer of Mysore B462 of 15/1/1919. Forwards the Report of the progress made on improving the surroundings of the Stone bell on the Chamundi Hill. 1) Submit for information (refer para 64 hyp. 21/1/19 Chiefsecy) 2) For perusal Dewan) 23/1/19 3) may be submitted for H.H. 4 Pumps 75 D.S.N. pumps Chiefsecy) Dewan)

4253. 21.1.19.

29/1/19 30/1/19

• No mat Arrears D.S.N. 4 Bund 4/2

4472. 11-2-19.

Note—Contn. sheet.

WD A 1730—GPB—60,000—20-3-19—6

Submitted to His Highness.

An estimate for improving the surroundings of the Stone Bull on the Chamundi Hill was sanctioned in G.O. No.G.9774-80/G.M.550-16-26 dated the 18th January 1918 and in G.O. No.G.2532/G.M.550-16-29 the Chief Engineer was directed to take up the work early in 1918-9.

2. The Chief Engineer forwards, with his letter No.B.462 dated 15th January 1919, a report in general on the progress made in connection with the work, as follows:-

(a) Improvements round the Bull:-

Dismantling of the mantap will be taken up shortly. Work of pavement and skin and retaining wall construction is going on. Parapet wall with perforations will be started early.

(b) Improving the Dalvoi mantap and the formation of a platform:-

A big platform round the mantap is constructed and one below it. Work of improvements to the mantap proper is going on. Platforms in front and by the side of the bull are also in progress.

(c) Other miscellaneous improvements are being worked, one by one, as per sanctioned estimates.

3. This report is submitted for His Highness' gracious perusal.

17.2.19

(27

Record of Cases submitted for the Orders of His Highness the Maharaja.

Subject.

Report on the progress made in connection with the work of improving the surroundings of the stone Bull on the Chamundi Hill.

Order.

19.2.19

G. R. S. III-2]

General and Revenue Secretariat.

GRS File No. 530 of 1916.

Serial No.

Of the four points referred to in the Chief Engineer's letter of Sept 1917, three items have not been taken up for one reason or other. The only one, viz, improving the surroundings of the mouth of the Gulf is taken in hand and the improvements effected are reported in general, as detailed in the D.S.N.

May the file be closed at this stage? or it be recorded and kept in "Pro" pending further reports. Submitted for orders.

MS
21/2/19

D/F asking him to complete the work early & report. (The papers may be recorded afterwards)
MLO
25/2

Addressed & sent.
MS
26/2

CHIEF SECRETARIAT
IV
GR Deptt.
18 MAR 1919

NOTE—Cards to sheet.

WD A 1789—GPB—60,000—20-8-18—S.

A. 78 cv 1

M. File No. 550–16

Serial No. 33

(21.5.1917)

Sus. Register No. ~~108~~ 12

Shall a Reminder issue to

The Chief Engineer

for a reply to this Office No. 520483 dated the

13.3.1919.

Subject.

Request that the work of improving the surroundings of the well on the Chemunder Hill may be completed early & report.

REMINDERS.

No.	Date	
3762	27-5-19	
5729	8/9	
17781	3/	

Submitted for perusal. The main file is submitted in another connection (Vide D.No. 42220 of 26/8/19)

10/10 Ely

Submitted with a D.O. reminder

Issue 29/11/19.

Submitted with a draft D.O. reminder.

Issue 12/4/20

23806 & 16/4/20

20648

Submitted with a D.O. reminder

DEWAN'S OFFICE.
Recd. on JUL 8 1920
Reg. No. 209

DEWAN'S OFFICE.
Recd. on JUL 26 1920
Reg. No. 5414

Submitted to His Highness.

***

Under the general programme of improvements to the Chamundi Hill at Mysore, the work in connection with the improvement of the surroundings of the stone bull was sanctioned and ordered to be taken up in the year 1918-19. The improvement chiefly consisted of (1) dismantling of the old mantaps and erection of a parapet wall with pavement round the bull, (2) improvements to Dalvai Mantap and (3) other miscellaneous improvements.

2. A report of progress was submitted in February 1919 showing that the dismantling of mantaps would be taken up shortly and the work of pavement was going on and that the platforms in front and by the side of the bull were also in progress.

3. A further report dated the 7th June 1920 from the Chief Engineer shows that all the improvements have been completed with the exception of the parapet wall round the pavement which is expected to be completed by the end of June 1920, and that sanction will be sought for for the construction of a new mantap which was not included in the original estimate.

4. The report is submitted for the gracious perusal of His Highness.

32

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject.

Further report on the progress made in connection with the work of improving the surroundings of the Stone Bull on the Chamundi Hill.

20 145

Order.

~~KRW~~

29/7/20

L, P. W. D

30 .20

5058

33

G. R. S. III-2)

General and Revenue Secretariat. | S.R. File No. 550 of 1916.

Serial No. 7

From

The Chief Engineer of Ellapore.

Letter No. 3696 dated 11th October 1920:

States that all the works round the Stone-built on the Chamundi Hills are completed and arrears rounds done with are being handed.

Submitted for perusal.

17/10/20 (Chigborg) 21/10/20

Dewan

26/10

Leeu

12.11.20

Dsir please

17/11

S.R. submitted for approval

17/11 (Chigborg) 17/11/20.

Dewan

27/11

DEWAN'S OFFICE.
Recd. on OCT 28 1920
Reg. No. 3740

DEWAN'S OFFICE.
Recd. on NOV 23 1920
Reg. No. 3823

Form—Contn. sheet

Submitted to His Highness.

***

In connection with the scheme of improvements to the Chamundi Hill at Mysore, Government sanctioned in their Order No.G.9774-80/G.M.550-16-26, dated the 18th January 1918, two items of improvements viz., (1) Water Supply to the Chamundi Hills and (2) Improving the view of the stone image of the bull on the Hill at a cost of Rs.42,502 and Rs.8,340 respectively.

2. The Chief Engineer having represented that owing to abnormally high prices of machinery on account of War the Water Supply Scheme could not be taken in hand, it was ordered to be postponed and the work of improving the surroundings of the image of the bull was ordered to be taken up during the year 1918-19 in Government Order No.G.2532/G.M.550-16-29, dated the 2nd August 1918.

3. The Chief Engineer now reports that all the works of improvement round the stone bull are completed and uneven grounds round about are being levelled. The papers are submitted for the gracious perusal of His Highness.

Veeranna

26 Nov 1920

35

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject.

Completion report on the work of improvements round the Stone Bull on the Chamundi Hill.

Order.

~~KRM~~
27/11/20.

Eng. B.T.S.
Secy
20.11.20
Exec D.
HS
29/11

Mysore Depts
25.11.20

Order No. 10288

Telegraphic Address.: Stateworks

24 MAY 1917

No. 5422

2 Reports
2 Estimates
2 Plans
1 Calculation sheet
1 Survey Plan
1 Copy of letter

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE.

Bangalore, 21st May 1917.

From

Rajasabhabhushana
KARPUR SHRINIVASRAO, Esq., B.Sc., L.C.E.,
Chief Engineer of Mysore,
Bangalore.

To

B.Ramaswamaiya, Esq., B.A., B.L.,
Secretary to Government,
Revenue Department.

Sir,

With reference to paragraph 4 of Government Order No.2051-7/P.W.10008-14 dated the 23rd September 1916 fixing the responsibility for the execution of works connected with the Mysore City Improvements, Chamundi Hill and the University buildings, I have the honour to forward for favour of sanction the accompanying estimates amounting to Rs 42,662 and Rs 8,340 for supplying water to the Chamundi Hills at Mysore and for improving the view of the stone image of the bull on the slope of the Hill, respectively.

2. The provisions made in the estimates are fully explained in the reports attached to each.

3. A copy of D.O. letter No.814 dated the 4th November 1916 received from the Huzur Secretary to His Highness stating that the construction of the shed for pilgrims is not necessary for the present is herein enclosed for information.

4. A Survey plan of the Hill drawn to a scale of 66 feet to an inch showing correctly the village, the existing buildings, tanks, roads &c., and a descriptive statement showing the present condition of the Hill as a place of pilgrimage and its advantages as a

pleasure resort is also forwarded as desired in paragraph 8 of Government order No.M.6737-35/P.W. 261-14-1 dated the 29th December 1914.

I have the honour to be,

Sir,

Your most obedient servant,

For Chief engineer of Mysore.

W.M.S.

D.O. letter No.814 dated the 4th November 1916 from the Huzur Secretary to His Highness the Maharaja of Mysore to the Executive Engineer, Mysore Division.

In returning the tracing received with your D.O. No.16 dated the 2nd instant, I am directed to inform you that His Highness does not think it necessary for the present at all events, to have a mantap built on the top of the Chamundi Hill.

xxxxxxxxxxxxxxxxxxxx

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to .. ..

GENERAL AND REVENUE SECRETARIAT

( )

, *the* *191* .

Date of issue.....

Signed by.....

Section G.M

File No. 550 16

Serial No. 7

No. 7

To

The Chief Engineer

Sir,

Adverting to your letter no. 54228/21st May 1917 requesting sanction to estimates amounting to Rs 42,502 & Rs 340 for supplying water ~~to~~ ~~effecting~~ to the Chamundi Hills and ~~effecting~~ improving the View of the Stone ~~Gateway in pursuance to the image~~ image of the hill, I am directed to request that the source from which is to the cost ~~should~~ be met may be kindly pointed out.

I have etc

U/3655/1

for Secy

Gen. Deptt.

NW

GEN. & REV. SECRETARIAT
V
GENERAL
6 JUL 1917

DIARY NO.....100.

19 -19

Telegraphic Address : *Stateworks*

No. 2013

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE.

Bangalore, 4th July 1917.

From

KARPUR SHRINIVASRAO, Esq., B.Sc., L.C.E.,

Chief Engineer of Mysore,

Bangalore.

To

J. Narasinga Rao, Esq., B.A., B.L.,

Secretary to Government, General Department,

Bangalore.

Sir,

With reference to your letter No.G.16583/G.C.750-13-7 of the 9th June 1917, requesting to be informed of the source from which the estimated cost of the projects for supplying water to the Chamundi Hills and improving the view of the stone image of the bull is to be met, I have the honour to state that the entire cost will have to be borne by the District Funds as in the case of the Musafirkhana on the hill. If the President, District Board, does not agree to this proposal, the cost should then be borne by the District and the Municipal Funds in equal proportion.

I have the honour to be,

Sir,

Your most obedient servant,

Karpur Srinivasrao

Chief Engineer of Mysore.

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

GENERAL AND REVENUE SECRETARIAT,

( )

, the *191* .

Date of issue.....

Signed by.....

Section G. M

File No. 530-16

Serial No. 1 1

No.

To

The Chief Engineer in
Mysore

Sir,

I am ~~directed to~~ inviting reference to the communication ending with your letter no 7043 dy 4th July 1917 regarding the source from which the cost of the projects for Water-Supply etc to the Chamundi ~~Hill~~ should be met, I am directed to state that it was recently held in the case of improvements to the

over.

your kind

Cfamundi still ~~that~~ Road the Dt. Board
and appeal finance the work and that ~~if~~ they
should be ~~undertaken~~ done out of
funds.

2. I am ~~therefore~~ accordingly to request to
be informed whether the cost ~~of~~ the
water supply to the hill & improving the view of the
stone image of the bull may not be
~~rightly~~ ~~from~~ debited to State Funds.

3. The favour of an immediate
reply is requested.

I have etc
For Secy to Govt,
Gen. Deptt

List of enclosure

Copied by

Examined by

WD 86—GPB—60,000—15-11-16

2012

Telegraphic Address : *Stateworks*

No. 9746

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE.

Bangalore, 7 September 1917.

From Rajasabhabhushana

KARPUR SHRINIVASRAO, ESQ., B.SC., L.C.E.,

Chief Engineer of Mysore,

Bangalore.

To

The Secretary to Government,

General Department, Bangalore.

Sir,

With reference to your letters Nos. G.1682- 2292 and 2526/G.M. 550-16-23 dated the 8th, 20th and 25th August 1917 enquiring whether the cost of the marginally noted works can be met from the State Funds, I have the honour to inform you that if Government are inclined to sanction the amount as an additional grant to the Public Works Budget, then the entire cost will be borne by this Department.

	Estimate amount Rs
1.Water supply to the Chamundi hill	42,502
2.Improving the view of the stone image of the bull .	8,340
3.Forming groves on the top of the hill	22,620
4.Drainage of the Chamundi hill	13,400

I have the honour to be,

Sir,

Your most obedient servant,

For Chief Engineer of Mysore.

Ab

G.R.S. VI-71]

SUBJECT ..... supply

Diary No. of letter replied to .....

Section G. M
File No. 530-16
Serial No. 26.

General and Revenue Secretariat
( )
, the 191 .

Proceedings of the Government of
His Highness the Maharaja of Mysore.

Date of issue 18

Signed by .....

Read.— G.O. no. 2051-7/P.W. 10008-14 & 23rd Sept 1916 fixing the responsibility for the execution of works connected with the Mysore city improvements, Chamundi Hill & the University Buildings.

2. The following letters from the Chief Engineer:

Order Thereon:— No.

(a) Letter no. 5422 & 21st May 1917
(b) " 6497 & 23rd June 1917
(c) " 8856 & 17th Aug 1917

May this be

i Printed?
ii treated as a standing order?
iii published in the Gazette English part?
iv translated?
v placed at the disposal of the press?
vi published in the Gazette Kannada part?

over.

3. W.M. Correspondence ending with letter no. 9746 B/ 7th Septr 1917 from the Chief Engineer stating that the cost of the items of improvement set forth in the letters read above cannot be borne from the P.W. budget unless the amount required is sanctioned as an additional grant to the P.W. budget.

Order :-

The items of improvement for which estimates for sanction & allotment of funds have been received from the Chief Engineer are as show below :-

Water supply to the Chamundi Hill	Rs 42, 502
Improving the view of the stone image of the bull	Rs 8, 340
Forming graves on the top of the Hill	Rs 22, 620
Drainage of the Chamundi Hill	Rs 13, 400
	Rs 86, 862.

List of enclosures.

Copied by

Examined by

2. As it is too early in the year to sanction any additional grant to the budget, Govt. are pleased

G. R. S. 27]

GENERAL AND REVENUE SECRETARIAT.

(*Continuation sheet draft form.*)

to sanction for the present only estimates for the water-supply scheme and for improving the area round the stone bund aggregating Rs 50,842 ~~and to direct that~~ from the Public Works Budget under "Miscellaneous Public Improvements".

3. The Joint Secy, P.W.D. is requested to suggest proposals for meeting the working expenses of the water-supply scheme in consultation with the Deputy Comm^r, Mysore Dt & the Huzur Secy to H.H. the Maharaja.

16/11

Chief Secy to Govt.

To. The Chief Engineer & Secy to Govt., P.W.D.

" Comptroller

" Huzur Secy to Hyt. the Maharaja

" Dy. Comm^r, Mysore Dt

" President, Mysore City Municipal Council

" Chairman, Trust Board, Mysore

" President, Dt. Board, Mysore

Copy to Por IV

GPB—20,000—7-7-14

Mysur

W D A 133—GPB—500—24-4-17

Telegraphic Address: *Stateworks*

No. 6817

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE,

Bangalore, 18th June 191 8

From

10088

S. CADAMBI, Esq.,

Chief Engineer for Irrigation,

Bangalore.

To

C. S. Balasundram Iyer, Esq., B.A.,

Chief Secretary to the Government of Mysore,

Bangalore.

Sir,

With reference to Government Proceedings No.S.9774-80/G.K. 50-16-20 dated the 18th January 1916 sanctioning an estimate amounting to £48,502 for water supply to Chamundi Hills, I have the honour to inform you that the original idea was to pump water to the top by two stages. But as the pressure in the pipes will be more than 600 feet and trouble is sure to be experienced later on it is considered desirable to have 3 stages instead of 2. It will be necessary to purchase 3 motor pumps for the purpose.

At present there is no chance of getting any machinery from America or England; if the 3 pumps are purchased at present there will be an excess of £4,000 on account of the abnormally high prices.

2. The Huzur Secretary to His Highness the Maharaja who was consulted in the matter is agreeable to post-pone the work at present. I am of the same opinion. Orders of Government may be obtained to post-pone the work for the present.

I have the honour to be,
Sir,
Your most obedient servant,

Cadambi

Chief Engineer for Irrigation.

G. R. S. VI—G/32]

SUBJECT: Regarding the relief Engr. to take up the improvement of the surrounding of the Hill image of the Rock. — Chamundi Hills.

Diary No. of letter replied to 10088

Section [illegible]
File No. 550 16.
Serial No. 29.

GENERAL AND REVENUE SECRETARIAT

( )

, the 191 .

No. G 2532

To the Chief Engineer
of Mysore.

Sir

Date of issue 8.6.18

Signed by [illegible]

With reference to the correspondence ending with your letter No. 6817 dt 10-6-18 suggesting that the ~~[illegible]~~ water supply to Chamundi Hills, sanctioned in G.O. No. 9774-80 Fin. 550-16-26 dt 18-1-18, may be postponed for the present on account of the abnormally high prices of the machinery now prevailing, I am directed to state that the

over.

water supply scheme may be postponed as suggested for the present but that the other item of improvement – viz: the work of improving the surroundings of the Stone image of the Bull sanctioned in the same Govt. order, may be taken up early in 1918-19.

In the event of any early report as to the action taken in the matter is requested

I have

C8K
29/7/18

Chief Secy

29/7/18

List of enclosures.

Copied by

Examined by

W Dsc – GPB – 60,000 – 15-10-10

W.D.A.198.-G.P.B.-600-24-7-17

Telegraphic Address: *Stateworks*

47 46

G.M. 550-16 31

No. B. 462. 33127

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE,

Bangalore, 15th January 1919.

From

S. CADAMBI, Esq.,

Chief Engineer of Mysore,

Bangalore.

To

C. S. Balasundaram Iyer, Esq., B.A.,

Chief Secretary to Government,

BANGALORE.

SIR,

With reference to your letter No. G.2532/G.M.550-16-29 dated the 2nd August 1918, I have the honor to forward herewith for information, a copy of the report showing the progress made on improving the surroundings of the Stone Bull on Chamundi Hill Road, Mysore.

I have the honor to be,

Sir,

Your most obedient servant,

for CHIEF ENGINEER OF MYSORE.

E.V.M.

Report on the progress made on improving the surroundings of the Stone Bull on Chamundi Hill Road, Mysore.

Works at the Bull may be classified as follows:-

(a) Improvements round the bull proper.- Dismantling of mantaps will be taken up shortly. Work of pavement & skin and retaining wall construction is going on. - Parapet wall with perforations will be started - - early.

(b) Improvements to Dalavoi Mantap and formation of Platform. A big platform round the mantap is constructed and - one below it. Work of improvements to the mantap - proper is going on. Platforms in front and by the side of the bull are also in progress.

(c) Other miscellaneous improvements.- These are being - - worked one by one as per sanctioned estimate.

" TRUE COPY "

Assistant Secretary to Government,

Public Works Department.

E.W.M.

G. R. S. VI—G/32]

SUBJECT Report re improving the surroundings of the Chamundi Hill

Diary No. of letter replied to 1746

Section Gen
File No. 5807
Serial No. 33

GENERAL AND REVENUE SECRETARIAT,
( )
, the 191

No. 7048

Date of issue 18-2-13

Signed by

To The Chief Engineer of Mysore.

Sir,

With reference to the correspondence ending with your letter no: 3462 of the 18/4/12 regarding the progress made on improving the surroundings of the image of the bull on the Chamundi Hill, I am directed to state that the work may be completed early and a report forwarded to Govt in the matter.

I have etc
M.V.S.
for Chief Secy to Govt

26/2/13 Ag

over.

12/14

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

GENERAL AND REVENUE SECRETARIAT
( )
, the 191 .

Date of issue 16/4

Signed by M C S B

Section G.M.
File No.
B.B reminder. Serial No.

No. G 23806

To The Chief Engineer of Mysore.

Sir,

I am desired to invite your attention to this office letter no. G. 20483 dated 13th March 1919 and to the subsequent correspondence ending with your office letter no. C.B. 94 dated 7th October 1919 regarding the work of improving the surroundings of the bull on the Chamundi Hills, and to request you to be so good as to forward a final report in the matter at a very early date.

over.

[B.B.

Date.

Yours sincerely,

2CS
12/4/20.

Wolfe Tolaro

List of enclosures.

Copied by

Examined by.

D.O.747.

18482

Public Works Secretariat,

Dated Bangalore, 29th April 1920.

Dear Sir,

With reference to your D.O. letter No.G.23806/ G.A. dated the 16th April 1920, to Mr. Gadamb, I write to inform you that the report called for from the ------ Superintending Engineer, Western Circle, has not yet --- been received. He has again been requested to state when the first report regarding the completion of the -- work, viz., improving the surroundings of the hall on the Chamundi Hills, can be expected to be received.

Yours sincerely,

R W Sundaramma

V. P. Krishnaswamy Iyer, Esq., B.A.,

Chief Secretary to the Government of Mysore,

B a n g a l o r e.

Submitted for orders.

As this is only an ad interim reply, may perhaps await the final reply promised.

29.4.20.

yes 29/4/20

G. R. S. VI—G/32]

SUBJECT.....

.....

.....

Diary No. of letter replied to.....

GENERAL AND REVENUE SECRETARIAT

( )

, the 191 .

Date of issue..... 1/6

Signed by.....

Section J.M.

File No. 2

Serial No. 5

D. O. reminder

No. 5269 24

The Chief Engineer of Mysore

To

Dear Sir,

I am desired to invite your attention to this office letter Ry. G. 20483 dated 13th March 1919 and to the subsequent correspondence ending with your D. O. Rt. 747 dated 26th April 1920 re improving the surroundings of the bull on the Chamundi Hills and to request you to ~~exp~~ be so good as to—

over.

expedite the submission of
the final report on the subject

Yours Sincerely

30/5/20

30/5/20.

List of enclosures.

Copied by

Examined by

W D86—GPB—60,000—15-11-16

TELEGRAPHIC ADDRESS: *Mysorepworks.*

No. B. 12833
Enl.

MYSORE P. W. DEPARTMENT.

CENTRAL OFFICE.

Bangalore, 7th June 1920.

20448
DIARY NO.

From

S. CADAMBI, Esq.,
Chief Engineer of Mysore,
Public Works Department.

C.S.Balsundaram Iyer, Esq., B.A.,
Chief Secretary to the Government of Mysore,
B a n g a l o r e.

Sir,

With reference to your letter No.G.20483 dated the 13th March 1919 and subsequent correspondence ending with D.O.letter No.G. 23806 dated the 16th April 1920, regarding the work of improving the surroundings of the Bull on the Chamundi Hill, I have the honour to forward herewith for your information, a copy of letter No.291 dated the 8th May 1920 received from the Assistant Engineer, Head Quarter Range, on the subject.

I have the honour to be,
Sir,
Your most obedient servant,
For Chief Engineer of Mysore.

J.R.7th.

Letter No.291 dated the 8th May 1920, from the Assistant Engineer, Head Quarter Range, Mysore, to the Superintending Engineer, Western Circle, Mysore.

Adverting to your No.133 dated the 5/6th instant giving cover to Chief Engineer's No.B.11509 dated the 29th ultimo, and calling for immediate submission of the report regarding the work of improving the surroundings of the bull on the Chamundi Hill I have the honour to state that all the works have been completed except the construction of New Mantap and Parapet wall round the pavement, as already reported in the progress report for the quatter ended 31st March 1920, submitted with this office No.252 of 28-4-20

2. Every endeavour will be made to complete the work of parapet by the end of June next. The mantapam is not provided for in the original sanctioned estimate and will be taken up only after sanction of the estimate to be submitted shortly.

True Copy

K P Thiruvenkatanarayana Rao

Assistant Secretary to Government,

Public Works Department.

J.R.7th.

Mysore Public Works Department,
Central Office,

No.E.3696 Bangalore, Dated 14th October 1920.

From

DIARY NO: 5058

19	-19
Section:	
File No:	
Serial No:	

C. Cadambi, Esquire,

Chief Engineer of Mysore,

Bangalore.

To

C. S. Balasundaram Iyer, Esq., B.A.,

Chief Secretary to the Government of

Mysore, Bangalore.

Sir,

With reference to your letter No.C.7506 dated the 2nd October 1920, regarding the progress made on improving the view of the great stone bull on the Chamundi Hill at Mysore, I have the honour to inform you that all the works are completed and uneven grounds round the bull are being levelled.

I have the honour to be,

Sir,

Your most obedient servant,

For Chief Engineer of Mysore.

A.V/14-10.